

# List of All Chemicals

## P Terminalia arjuna (Combretaceae)

### Common name(s)

Arjun; Arjuna

### How used

Medicinal

\*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Chemical	Plant Part	Low PPM	High PPM	StdDev	*Reference
(+)-CATECHOL	Bark	--	--		Madhusudanamma, W., Sastry, K. N. S., Rao, V. S. S., Reddy, K. K. 1980. Isolation of Flavan-3-ols from Terminalia arjuna Bark. Leather Sci (Madras) 27: 199-200.
<b>Activities (4)</b>					
Antihepatitic					Martindale's 29th
Antiseptic					
Fatal					Martindale's 29th
Pesticide					
(+)-GALLOCATECHOL	Bark	--	--		Madhusudanamma, W., Sastry, K. N. S., Rao, V. S. S., Reddy, K. K. 1980. Isolation of Flavan-3-ols from Terminalia arjuna Bark. Leather Sci (Madras) 27: 199-200.
(+)-LEUCOCYANIDIN	Bark	--	--		Row, L. R. 1970. Chemical Examination of Terminalia Species. XIII. Isolation and Structure Determination of Arjunetin from Terminalia arjuna. Indian J. Chem. 8: 772.
(+)-LEUCODELPHINIDIN	Wood	--	--		ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
(+)-LEUCODELPHINIDIN	Heart Wood	--	500.0		Row, L. R., Subba, Rao, G. S. R. 1962. Chemistry of Terminalia Species. Part IV. Chemical Examination of T. arjuna: Isolation of Arjunolic Acid Saponin and (+) Leucodelphinidin. J. Indian Chem. Soc. 39: 89.
1,2,3,4,6-PENTAGALLOYLGLUCOSE	Leaf	--	--		Kandil, F. E., Nassar, M. I. 1998. A Tannin Anti-Cancer Promotor from Terminalia arjuna. Phytochemistry 47 8: 1567-1568.
2',4',5,7-TETRAHYDROXYFLAVONE	Fruit	--	4.0		Nagar, A., Gujral, V. K., Gupta, S. R. 1979. A New Flavone from Terminalia arjuna Fruits. Phytochemistry 18: 1245-.
2,3(S)-HHDP-6-O-GALLOYL-D-GLUCOSE	Bark	--	27.6		Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of Terminalia arjuna. Zhonghua Yaoxue Zashi 48 1: 25-35.
2,3(S)-HHDP-D-GLUCOSIDE	Bark	--	190.3		Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of Terminalia arjuna. Zhonghua Yaoxue Zashi 48 1: 25-35.
2,3,4,6-TETRAGALLOYL-GLUCOSE	Leaf	--	--		Kandil, F. E., Nassar, M. I. 1998. A Tannin Anti-Cancer Promotor from Terminalia arjuna. Phytochemistry 47 8: 1567-1568.
8-HYDROXY-HEXADECANOIC-ACID	Root Bark	--	50.0		Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of Terminalia arjuna (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. Indian J. Chem. 21B 6: 530-533.
AFRORMOSIN	Fruit	--	--		Singh, B., Pandey, V. B. 1995. Constituents of Terminalia arjuna Fruits. Orient. J. Chem. 11 2: 185-186.
<b>Activities (3)</b>					
Fungicide ED50=>100					
Pesticide					
Phytoalexin	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.				
ARACHIDIC-STEARATE	Fruit	--	--		Ahmad, M. U., Mullah, K. B., Saha, K. C. 1982. Hentriacontane, Arachidic Stearate and Myristyl Oleate from the Fruits of Terminalia arjuna Bedd. J. Bangladesh Acad. Sci. 6 1/2: 61-65.
ARJUNAGENIN	Bark	--	12.0		Honda, T., Murae, T., Tsuyuki, T., Takahashi, T., Sawai, M. 1976. Arjungenin, Arjunglucoside I, and Arjunglucoside II, a New Triterpene and New Triterpene Glucosides from Terminalia arjuna. Bull. Chem. Soc. Japan 49: 3213-.
ARJUNETIN	Leaf	--	--		Chauhan, S. M. S., Parkash, S., Kaushik, R. 1997. Isolation of 3-beta-hydroxyolean-12-ene and Related Triterpenoids from the Leaves of Terminalia arjuna. Indian J. Chem. 36B 3: 297-298.



AntiEBV				
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID	Heart Wood	--	8000.0	Row, L. R., Subba, Rao, G. S. R. 1962. Chemistry of Terminalia Species. Part IV. Chemical Examination of <i>T. arjuna</i> : Isolation of Arjunolic Acid Saponin and (+) Leucodelphinidin. <i>J. Indian Chem. Soc.</i> 39: 89.
<b>Activities (5)</b>				
AntiEBV				
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID	Wood	--	30000.0	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<b>Activities (5)</b>				
AntiEBV				
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID	Stem	--	15.5	Tripathi, V. K., Pandey, V. B., Udupa, K. N., Rucker, G. 1992. Arjunolitin, a Triterpene Glycoside from <i>Terminalia arjuna</i> . <i>Phytochemistry</i> 31 1: 349-351.
<b>Activities (5)</b>				
AntiEBV				
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID	Seed	--	15.5	Tripathi, V. K., Pandey, V. B., Udupa, K. N., Rucker, G. 1992. Arjunolitin, a Triterpene Glycoside from <i>Terminalia arjuna</i> . <i>Phytochemistry</i> 31 1: 349-351.
<b>Activities (5)</b>				
AntiEBV				
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID	Leaf	--	15.5	-1.0
<b>Activities (5)</b>				
AntiEBV				*
Anticarcinogenic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Cardioprotective				
Chemopreventive	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
ARJUNOLIC-ACID-SAPONIN	Root Bark	--	7.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of <i>Terminalia arjuna</i> (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. <i>Indian J. Chem.</i> 21B 6: 530-533.
ARJUNOLIC-ACID-SAPONIN	Heart Wood	--	1300.0	Row, L. R., Subba, Rao, G. S. R. 1962. Chemistry of Terminalia Species. Part IV. Chemical Examination of <i>T. arjuna</i> : Isolation of Arjunolic Acid Saponin and (+) Leucodelphinidin. <i>J. Indian Chem. Soc.</i> 39: 89.
ARJUNOLONE	Stem Bark	--	16.7	Sharma, P. N., Shoeb, A., Kapil, R. S., Popli, S. P. 1982. Arjunolone-A New Flavone from Stem Bark of <i>Terminalia arjuna</i> . <i>Indian J. Chem.</i> 21B: 263-264.
ARJUNOSIDE-I	Root Bark	--	20.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of <i>Terminalia arjuna</i> (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. <i>Indian J. Chem.</i> 21B 6: 530-533.

	Bark				arjuna (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. Indian J. Chem. 21B 6: 530-533.
ARJUNOSIDE-III	Root Bark	--	60.0		Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of the Roots of Terminalia arjuna-The Structures of Arjunoside 3 and Arjunoside 4, Two New Triterpenoid Glycosides. Phytochemistry 21: 2057-2060.
ARJUNOSIDE-IV	Root Bark	--	2.0		Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of the Roots of Terminalia arjuna-The Structures of Arjunoside 3 and Arjunoside 4, Two New Triterpenoid Glycosides. Phytochemistry 21: 2057-2060.
ASH	Leaf	--	70900.0	-0.84	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
BAICALEIN	Stem Bark	--	8.3		Sharma, P. N., Shoeb, A., Kapil, R. S., Popli, S. P. 1982. Arjunolone-A New Flavone from Stem Bark of Terminalia arjuna. Indian J. Chem. 21B: 263-264.

#### Activities (50)

12-Lipoxygenase-Inhibitor				
17-beta-hydroxysteroid dehydrogenase-Inhibitor 9.3 uM				
5-Lipoxygenase-Inhibitor IC50=0.1-5 uM				
Aldose-Reductase-Inhibitor IC50=0.98 ppm	Kohda, H., Tanaka, S., Yamaoka, Y., Yahara, S., Nohara, T., Tanimoto, T., Tanaka, A. 1989. Studies on Lens-Aldose-Reductase Inhibitor in Medicinal Plants.II Active Constituents of Monochasma savatieri FRANCH, et MAXIM. Chem. Pharm. Bull. 37(11):3153-3154			
Aldose-Reductase-Inhibitor IC62=10 uM	Shimizu, M., Ito, T., Terashima, S., Hayashi, T., Arisawa, M., Morita, N., Kurokawa, S., Ito, K., and Hashimoto, Y. 1984. Inhibition of Lens Aldose Reductase by Flavonoids. Phytochemistry, 23: 1885-1888.			
Aldose-Reductase-Inhibitor IC50=0.98 rbt	Kohda, H., Tanaka, S., Yamaoka, Y., Yahara, S., Nohara, T., Tanimoto, T., Tanaka, A. 1989. Studies on Lens-Aldose-Reductase Inhibitor in Medicinal Plants.II Active Constituents of Monochasma savatieri FRANCH, et MAXIM. Chem. Pharm. Bull. 37(11):3153-3154			
AntiHIV				
Antiacne				
Antiaggregant ED50=120-200 mg/kg	Butenko, I.G., Gladtchenko, S.V., and Galushko, S.V. Anti-inflammatory properties and inhibition of leukotriene C4 biosynthesis in vitro by flavonoid baicalein from Scutellaria baicalensis georgy roots. Agents Actions 39: C49, 1993.			
Antiallergic	Williamson, E. M. and Evans, F. J. Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, reprint 1989.			
Antiarthritic IC28=20 mg/kg scu rat				
Antiasthmatic				
Antiatherosclerotic IC50=3.5-8.6 uM				
Antibacterial	Foster, S. and Yue, C-G. 1992. Herbal Emissaries-Bringing Chinese Herbs to the West. Healing Arts Press, Rochester VT. 356 pp.			
Anticoltic 20 mg/kg				
Antidermatitic				
Antidote (Strychnine) 10 mg mus	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Antiedemic IC28=20 mg/kg scu rat				
Antiflu	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Antigenotoxic IC50=22-34 uM				
Antihepatotoxic				
Antihistaminic				
Antiinflammatory IC28=20 mg/kg scu rat				
Antiinflammatory IC50=0.1-5 uM				
Antileukemic IC50=0.26 ug/ml	Life Sciences 55: 1061.			
Antileukemic 2 ug/ml	Economic & Medicinal Plant Research, 5: 225.			
Antimutagenic				
Antiproliferative	Huang, H-C., Wang, H-R., and Hsieh, L-M. 1993. Antiproliferative effect of baicalein, a flavonoid from a Chinese herb, on vascular smooth muscle cell. European J. of Pharmacology 251: 91-93, 1994.			
Antipyretic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Antiretroviral				
Antithrombotic IC50=3.5-8.6 uM				
Antithrombotic IC50=3.7 uM				
Antitoxin (Strychnine) 10 mg mus	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Antiviral	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.			
Apoptotic				
Astringent	Merck 11th Edition			
COX-1-Inhibitor 100 ug/ml	Fukutake, M., Yokota, S., Kawamura, H., Iizuka, A., Amagaya, S., Fukuda, K., Komatsu, Y. 1998. Inhibitory effect of Coptidis rhizoma adn Scutellariae radix on azoxymethane-induced aberrant crypt foci formation in rat colon. Biol Pharm Bull, 21(8): 814-817			
COX-2-Inhibitor 100 ug/ml				
Choleretic	Huang, K. C. 1993. The Pharmacology of Chinese Herbs. CRC Press, Boca Raton, FL 388 pp.			
Cyclooxygenase-Inhibitor				
Diuretic				
Fungicide				

HIV-RT-Inhibitor IC50=<1 ug/ml	Nakane, H., Fukushima, M., and Ono*, K. Differential Inhibition Of Reverse Transcriptase And Various DNA Polymerases By Digallic Acid And Its Derivatives. <i>Journal of Natural Products</i> , 53(5): 1234-1240, 1990.
Hypocholesterolemic	
Neuroprotective 10 uM	
Pesticide	
Topoisomerase-II-Inhibitor 200 ug/ml	Matsuzaki, Y., Kurokawa, N., Terai, S., Matsumura, Y., Kobayashi, N., Okita, K. 1996. Cell Death Induced by Baicalein in Human Hepatocellular Carcinoma Cell Lines. <i>Jap J Cancer Res</i> , 87: 170-177.
Triglycerolytic	
Xanthine-Oxidase-Inhibitor IC50=3 uM	

BETA-AMYRIN	Leaf	--	--	Chauhan, S. M. S., Parkash, S., Kaushik, R. 1997. Isolation of 3-beta-a-hydroxyolean-12-ene and Related Triterpenoids from the Leaves of Terminalia arjuna. <i>Indian J. Chem.</i> 36B 3: 297-298.
-------------	------	----	----	--

#### Activities (9)

Analgesic	
Antiedemic IC27=40 mg/kg ipr rat	
Antiinflammatory	
Antinociceptive	
Antiulcer	
Gastroprotective	
Hepatoprotective	
Larvicide	
Mosquitocide	

BETA-SITOSTEROL	Root Bark	--	50.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of Terminalia arjuna (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. <i>Indian J. Chem.</i> 21B 6: 530-533.
-----------------	-----------	----	------	--

#### Activities (47)

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antiadrenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antigonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomic	
Antimutagenic 250 ug/ml	
Antiphidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostatademonic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> , 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	

Febrifuge	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Hepatoprotective				
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th			
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th			
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.			
Hypolipidemic 2-6 g/day				
Pesticide				
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Ubiquot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Ulcerogenic 500 mg/kg ipr rat				
<b>BETA-SITOSTEROL</b>	<b>Root</b>	<b>--</b>	<b>20.0</b>	<b>-0.28</b>
				Anjaneyulu, A. S. R., Prasad, A. V. R. 1983. Chemical Examination of the Roots of Terminalia arjuna. Part 3. Structure of Terminalic Acid, a Dihydroxytriterpene Carboxylic Acid from Terminalia arjuna. <i>Phytochemistry</i> 22 4: 993-998.

### Activities (47)

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antidiademonic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antigonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antihyperlipoproteinæmic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomeric	
Antimutagenic 250 ug/ml	
Antiophidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostatademonic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from Vaccinium myrtillus (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in Artemisia annua. <i>Plant Science</i> , 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of Melodorum fruticosum. <i>Phytochemistry</i> . 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	

Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Ulcerogenic 500 mg/kg ipr rat				
BETA-SITOSTEROL	Leaf	--	--	Chauhan, S. M. S., Parkash, S., Kaushik, R. 1997. Isolation of 3-beta-hydroxyolean-12-ene and Related Triterpenoids from the Leaves of <i>Terminalia arjuna</i> . <i>Indian J. Chem.</i> 36B 3: 297-298.
<b>Activities (47)</b>				
Androgenic				
Angiogenic				
Anorexic	Martindale's 28th			
Antidiademonic	Merck 11th Edition			
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.			
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Anticancer (Cervix)				
Anticancer (Lung)				
Antiedemic IC54=320 mg/kg orl				
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antigonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Antiinflammatory				
Antileukemic				
Antilymphomeric				
Antimutagenic 250 ug/ml				
Antiophidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.			
Antioxidant IC44=10 uM				
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antiprostaglandin 30 mg/day/12 wks				
Antiprostatadenomic	Merck 11th Edition			
Antiprostatic 10-20 mg 3 x/day/orl man				
Antipyretic	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.			
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Antitumor (Cervix)				
Antitumor (Lung)				
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.			
Apoptotic				
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> . 29(5): 1667-1670. 1990.			
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.			
Caspase-8-Inducer				
Estrogenic				
Febrifuge	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.			
Gonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Hepatoprotective				
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th			
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th			
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.			
Hypolipidemic 2-6 g/day				
Pesticide				
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Ulcerogenic 500 mg/kg ipr rat				
BETA-SITOSTEROL	Heart Wood	--	1000.0	Row, L. R., Subba, Rao, G. S. R. 1962. Chemistry of <i>Terminalia</i> Species. Part IV. Chemical Examination of <i>T. arjuna</i> : Isolation of Arjunolic Acid Saponin and (+) Leucodelphinidin. <i>J. Indian Chem. Soc.</i> 39: 89.
<b>Activities (47)</b>				

Angiogenic	
Anorexic	Martindale's 28th
Antiadenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	
Antiedemic IC54=320 mg/kg orl	
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antifeedant	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antigonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomtic	
Antimutagenic 250 ug/ml	
Antiphidic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostatademonic	Merck 11th Edition
Antiprostatic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> . 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Gonadotropic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	
Pesticide	
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Ubiquot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Ulcerogenic 500 mg/kg ipr rat	

BETA-SITOSTEROL      Fruit      --      --      Singh, B., Pandey, V. B. 1995. Constituents of *Terminalia arjuna* Fruits. *Orient. J. Chem.* 11 2: 185-186.

#### Activities (47)

Androgenic	
Angiogenic	
Anorexic	Martindale's 28th
Antiadenomic	Merck 11th Edition
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antibacterial	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Anticancer (Cervix)	
Anticancer (Lung)	

Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antigonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Antiinflammatory	
Antileukemic	
Antilymphomeric	
Antimutagenic 250 ug/ml	
Antiolethic 2.3 mg mus	Economic & Medicinal Plant Research, 5: 363.
Antioxidant IC44=10 uM	
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Antiprostaglandin 30 mg/day/12 wks	
Antiprostatadenamec	Merck 11th Edition
Antiprostatitic 10-20 mg 3 x/day/orl man	
Antipyretic	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.
Antitumor (Cervix)	
Antitumor (Lung)	
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.
Apoptotic	
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> , 29(5): 1667-1670. 1990.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide	Recently became <i>Internat. J. Crude Drug Res.</i> 28(1,2,3,4):1990, page 155.
Caspase-8-Inducer	
Estrogenic	
Febrifuge	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Hepatoprotective	
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.
Hypolipidemic 2-6 g/day	
Pesticide	
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.
Ulcerogenic 500 mg/kg ipr rat	

BETA-SITOSTEROL	Bark	--	300.0	1.26	*
<b>Activities (47)</b>					
Androgenic					
Angiogenic					
Anorexic	Martindale's 28th				
Antiadenomic	Merck 11th Edition				
Antiandrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.				
Antibacterial	Recently became <i>Internat. J. Crude Drug Res.</i> 28(1,2,3,4):1990, page 155.				
Anticancer (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.				
Anticancer (Cervix)					
Anticancer (Lung)					
Antiedemic IC54=320 mg/kg orl					
Antiestrogenic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.				
Antifeedant	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.				
Antifertility	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.				
Antigonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.				
Antihyperlipoproteinaemic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antiinflammatory					
Antileukemic					
Antilymphomeric					
Antimutagenic 250 ug/ml					

Antioxidant IC44=10 uM				
Antiprogestational	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Antiprostaglandin 30 mg/day/12 wks				
Antiprostatadename	Merck 11th Edition			
Antiprostatic 10-20 mg 3 x/day/orl man				
Antipyretic	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Antitumor (Breast)	Madhavi, D. L., Bomser, J., Smith, M., Singletary, K. 1998. Isolation of Bioactive Constituents from <i>Vaccinium myrtillus</i> (Bilberry) Fruits and Cell Cultures. <i>Plant Sci.</i> , 131(1): 95-103.			
Antitumor (Cervix)				
Antitumor (Lung)				
Antiviral	Abid Ali Khan, M.M., Jain, D.C., Bhakuni, R.S., Zaim, M., and Thakur, R.S. 1991. Occurrence of some antiviral sterols in <i>Artemisia annua</i> . <i>Plant Science</i> , 75: 161-165, 1991.			
Apoptotic				
Artemicide LC50=110 ppm	Jung, J.H., Pummangura, S., Chaichantipyuth, C., Patarapanich, C., and McLaughlin, J.L. 1989. Bioactive Constituents of <i>Melodorum fruticosum</i> . <i>Phytochemistry</i> , 29(5): 1667-1670. 1990.			
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Candidicide	Recently became Internat. J. Crude Drug Res. 28(1,2,3,4):1990, page 155.			
Caspase-8-Inducer				
Estrogenic				
Febrifuge	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Gonadotrophic	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Hepatoprotective				
Hypocholesterolemic 2-6 g/man/day/orl	Martindale's 30th			
Hypocholesterolemic 9-3,330 mg/man/day/orl	Martindale's 28th			
Hypoglycemic	Ivorra, M.D., Paya, M., and Villar, A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. <i>Journal of Ethnopharmacology</i> , 27: 243-275, 1989.			
Hypolipidemic 2-6 g/day				
Pesticide				
Spermicide	Malini, T. and Vanithakumari, G. 1989. Rat Toxicity Studies With B-Sitosterol. <i>Journal of Ethnopharmacology</i> , 28: 221-234, 1990.			
Ubiquiot	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Ulcerogenic 500 mg/kg ipr rat				

CASTALAGIN Bark -- 692.3 Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of *Terminalia arjuna*. *Zhonghua Yaoxue Zashi* 48 1: 25-35.

#### Activities (1)

Topoisomerase-II-Inhibitor IC100=0.2 uM Kashiwada, Y., Nonaka, G. I., Nishioka, I., Lee, J. H., Bori, I., Fukushima, Y., Bastow, K. F., Lee, K. H. 1993. Tannins as Potent Inhibitors of DNA Topoisomerasé II in vitro. *J Pharm Sci*, 82: 487-492.

CASUARIIN Bark -- 96.1 Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of *Terminalia arjuna*. *Zhonghua Yaoxue Zashi* 48 1: 25-35.

CASUARININ Bark -- 98.0 Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of *Terminalia arjuna*. *Zhonghua Yaoxue Zashi* 48 1: 25-35.

#### Activities (4)

Antiperoxidant Jeffery B. Harborne and H. Baxter, eds. 1983. *Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants*. Taylor & Frost, London. 791 pp.

#### Lipoxygenase-Inhibitor

Topoisomerase-II-Inhibitor IC100=0.2 uM Kashiwada, Y., Nonaka, G. I., Nishioka, I., Lee, J. H., Bori, I., Fukushima, Y., Bastow, K. F., Lee, K. H. 1993. Tannins as Potent Inhibitors of DNA Topoisomerase II in vitro. *J Pharm Sci*, 82: 487-492.

Xanthine-Oxidase-Inhibitor IC50=36 uM Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. *Chem. Pharm. Bull.* 38(5): 1224-1229

DAUCOSTEROL Fruit -- -- Singh, B., Pandey, V. B. 1995. Constituents of *Terminalia arjuna* Fruits. *Orient. J. Chem.* 11 2: 185-186.

#### Activities (5)

Aldose-Reductase-Inhibitor 0.1 mM/rat (weak activity, 31.9% inhibition) Fujita, T., Ohira, K., Miyatake, K., Nakano, Y., Nakayama, M. 1995. Inhibitory Effect of Perillosides A and C, Related Monoterpene Glucosides on Aldose Reductase and Their Structure-Activity Relationships. *Chem Pharm Bull*, 43(6): 920-926.

#### Antileukemic

Antispasmodic 20 mg/kg =ICMR(Indian Council of Medical Research),1976. *Medicinal Plants of India*.Vol.1.Indian Council of Med. Res.Cambridge Printing Works, New Delhi.487 pp;ICMR.1987. *Medicinal Plants of India*.Vol.2.Indian Council of Med. Res.Cambr. Printing Works,New Delhi.600pp

#### Antitumor

Hypoglycemic Economic & Medicinal Plant Research, 6: 158.

ELLAGIC-ACID Bark -- 250.0 -1.0 \*

#### Activities (51)

ACE-Inhibitor IC50=5 mM/l

Aldose-Reductase-Inhibitor IC50=0.2 uM	
Aldose-Reductase-Inhibitor IC50=0.2 ug/ml (strong activity)	
AntiGTF ID50=20 ug/ml	
AntiHIV IC90=200 ug/ml	Tan, G.T., Pezzuto, J.M., Kinghorn,* A.D., Hughes, S.H. Evaluation Of Natural Products As Inhibitors Of Human Immunodeficiency Virus Type 1 (HIV-1) Reverse Transcriptase. <i>Journal of Natural Products</i> , 54(1): 143-154, 1991.
Antiaflatoxin	
Antianaphylactic	
Antibacterial 1,250 ug/ml	
Antibacterial ID50=20 ug/ml	
Anticancer (Cervix)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Anticancer (Colon)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Anticancer (Esophagus)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Anticancer (Mouth)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Anticariogenic ID50=20 ug/ml	
Anticataract	Shimizu, M., Horie, S., Terashima, S., Ueno, H., et al. 1989. Studies on Aldose Reductase Inhibitors from Natural Products.II. Active Components of a Paraguayan Crude Drug 'Para-parai mi,' <i>Phyllanthus niruri</i> . <i>Chem. Pharm. Bull.</i> 37(9): 2531-2532, 1989.
Antigingivitic 1,250 ug/ml	
Antihyperthyroid	
Antiinflammatory	
Antimalarial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.
Antimutagenic	
Antioxidant >50 x tocopherol	Osawa, T. Phenolic Antioxidants in Dietary Plants as Antimutagens. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.11 p.142.
Antioxidant IC98=30 ppm	
Antioxidant 2/3 quercetin	
Antiperiodontic 1,250 ug/ml	
Antiperoxidant IC50=29 uM	Planta Medica, 57: A54, 1991.
Antiplaque 1,250 ug/ml	
Antiplasmodial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.
Antiseptic 1,250 ug/ml	
Antistreptococcic ID50=20 ug/ml	
Antithyroid	Jim Duke's personal files.
Antitumor	
Antiviral	Economic & Medicinal Plant Research, 5: 224.
Antiyeast IC50=10.5 uM	
Apoptotic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Astringent	Martindale's 29th
Cancer-Preventive 3 ppm	
Candida-SAP-Inhibitor IC50=8.4 uM	
Cytotoxic 4.6 ug/ml	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 359.
Deiodinase-Inhibitor	Jim Duke's personal files.
Detoxicant	
Glucosyl-Transferase-Inhibitor ID50=20 ug/ml	
HIV-RT-Inhibitor	Economic & Medicinal Plant Research, 5: 224.
Hemostatic	Merck 11th Edition
Hepatoprotective IC55=30 ug/ml	Mayumi Ito (nee Someya), et al. 1990. Hepatoprotective Compounds from <i>Canarium album</i> and <i>Euphorbia nematocypha</i> . <i>Chem. Pharm. Bull.</i> 38(8): 2201-2203, 1990.
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Quinone-Reductase-Inducer 0.4 g/kg rat	Ahn, D., Putt, D., Kresty, L., Stoner, G. D., Fromm, D., Hollenberg, P. F. 1996. The Effects of Dietary Ellagic Acid on Rat Hepatic and Esophageal Mucosal Cytochromes P450 and Phase II Enzymes. <i>Carcinogenesis</i> , 17(4): 821-828.
Sunscreen 0.50%	Jim Duke's personal files.
Topoisomerase-I-Antagonist	Journal of Medicinal Food 2: 167.1999.
Xanthine-Oxidase-Inhibitor IC50=3.1 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. <i>Chem. Pharm. Bull.</i> 38(5): 1224-1229

ELLAGIC-ACID Leaf -- -- Kandil, F. E., Nassar, M. I. 1998. A Tannin Anti-Cancer Promotor from *Terminalia arjuna*. *Phytochemistry* 47 8: 1567-1568.

#### Activities (51)

- ACE-Inhibitor IC50=5 mM/l
- Abortifacient 1.2 mg/kg ivn mus
- Aldose-Reductase-Inhibitor IC50=0.2 uM
- Aldose-Reductase-Inhibitor IC50=0.2 ug/ml (strong activity)
- AntiGTF ID50=20 ug/ml

Antiaflatoxin				
Antianaphylactic				
Antibacterial 1,250 ug/ml				
Antibacterial ID50=20 ug/ml				
Anticancer (Cervix)	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.			
Anticancer (Colon)	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.			
Anticancer (Esophagus)	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.			
Anticancer (Mouth)	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.			
Anticariogenic ID50=20 ug/ml				
Anticataract	Shimizu, M., Horie, S., Terashima, S., Ueno, H., et al. 1989. Studies on Aldose Reductase Inhibitors from Natural Products.II. Active Components of a Paraguayan Crude Drug 'Para-parai mi,' Phyllanthus niruri. Chem. Pharm. Bull. 37(9): 2531-2532, 1989.			
Antigingivitic 1,250 ug/ml				
Antihyperthyroid				
Antiinflammatory				
Antimalarial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			
Antimutagenic				
Antioxidant >50 x tocopherol	Osawa, T. Phenolic Antioxidants in Dietary Plants as Antimutagens.Phenolic Compounds in Food and Their Effects on Health, Ch.11 p.142.			
Antioxidant IC98=30 ppm				
Antioxidant 2/3 quercetin				
Antiperiodontic 1,250 ug/ml				
Antiperoxidant IC50=29 uM	Planta Medica, 57: A54, 1991.			
Antiplaque 1,250 ug/ml				
Antiplasmodial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. PlantaPhile Publications, Berlin. 72 pp.			
Antiseptic 1,250 ug/ml				
Antistreptococcic ID50=20 ug/ml				
Antithyroid	Jim Duke's personal files.			
Antitumor				
Antiviral	Economic & Medicinal Plant Research, 5: 224.			
Antiyeast IC50=10.5 uM				
Apoptotic	Joseph, J., Nadeau, D. and Underwood, A. 2001. The Color Code. Hyperion, NY.			
Astringent	Martindale's 29th			
Cancer-Preventive 3 ppm				
Candida-SAP-Inhibitor IC50=8.4 uM				
Cytotoxic 4.6 ug/ml	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 359.			
Deiodinase-Inhibitor	Jim Duke's personal files.			
Detoxicant				
Glucosyl-Transferase-Inhibitor ID50=20 ug/ml				
HIV-RT-Inhibitor	Economic & Medicinal Plant Research, 5: 224.			
Hemostatic	Merck 11th Edition			
Hepatoprotective IC55=30 ug/ml	Mayumi Ito (nee Someya), et al. 1990. Hepatoprotective Compounds from Canarium album and Euphorbia nematocypha. Chem. Pharm. Bull. 38(8): 2201-2203, 1990.			
Juvabional	Jacobson, M., Glossary of Plant-Derived Insect Deterrents, CRC Press, Inc., Boca Raton, FL, 213 p, 1990.			
Pesticide				
Quinone-Reductase-Inducer 0.4 g/kg rat	Ahn, D., Putt, D., Kresty, L., Stoner, G. D., Fromm, D., Hollenberg, P. F. 1996. The Effects of Dietary Ellagic Acid on Rat Hepatic and Esophageal Mucosal Cytochromes P450 and Phase II Enzymes. Carcinogenesis, 17(4): 821-828.			
Sunscreen 0.50%	Jim Duke's personal files.			
Topoisomerase-I-Antagonist	Journal of Medicinal Food 2: 167.1999.			
Xanthine-Oxidase-Inhibitor IC50=3.1 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. Chem. Pharm. Bull. 38(5): 1224-1229			

ELLAGIC-ACID	Root Bark	--	3.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of the Roots of Terminalia arjuna-The Structures of Arjunoside 3 and Arjunoside 4, Two New Triterpenoid Glycosides. Phytochemistry 21: 2057-2060.
--------------	--------------	----	-----	---

**Activities (51)**

ACE-Inhibitor IC50=5 mM/l				
Abortifacient 1.2 mg/kg ivn mus				
Aldose-Reductase-Inhibitor IC50=0.2 uM				
Aldose-Reductase-Inhibitor IC50=0.2 ug/ml (strong activity)				
AntiGTF ID50=20 ug/ml				
AntiHIV IC90=200 ug/ml	Tan, G.T., Pezzuto, J.M., Kinghorn,* A.D., Hughes, S.H. Evaluation Of Natural Products As Inhibitors Of Human Immunodeficiency Virus Type 1 (HIV-1) Reverse Transcriptase. Journal of Natural Products, 54(1): 143-154, 1991.			
Antiaflatoxin				
Antianaphylactic				



Anticancer (Mouth)	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Anticariogenic ID50=20 ug/ml	
Anticataract	Shimizu, M., Horie, S., Terashima, S., Ueno, H., et al. 1989. Studies on Aldose Reductase Inhibitors from Natural Products.II. Active Components of a Paraguayan Crude Drug 'Para-parai mi,' <i>Phyllanthus niruri</i> . <i>Chem. Pharm. Bull.</i> 37(9): 2531-2532, 1989.
Antigingivitic 1,250 ug/ml	
Antihyperthyroid	
Antiinflammatory	
Antimalarial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.
Antimutagenic	
Antioxidant >50 x tocopherol	Osawa, T. Phenolic Antioxidants in Dietary Plants as Antimutagens. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.11 p.142.
Antioxidant IC98=30 ppm	
Antioxidant 2/3 quercetin	
Antiperiodontic 1,250 ug/ml	
Antiperoxidant IC50=29 uM	Planta Medica, 57: A54, 1991.
Antiplaque 1,250 ug/ml	
Antiplasmodial IC50=0.5 uM	Rukunga, G. and Simons, A. J. 2006. The Potential of Plants as a Source of Antimalarial Agents - A Review. Africa Herbal Antimalaria Meeting. <i>PlantaPhile Publications</i> , Berlin. 72 pp.
Antiseptic 1,250 ug/ml	
Antistreptococcic ID50=20 ug/ml	
Antithyroid	Jim Duke's personal files.
Antitumor	
Antiviral	Economic & Medicinal Plant Research, 5: 224.
Antiyeast IC50=10.5 uM	
Apoptotic	Joseph, J., Nadeau, D. and Underwood, A. 2001. <i>The Color Code</i> . Hyperion, NY.
Astringent	Martindale's 29th
Cancer-Preventive 3 ppm	
Candida-SAP-Inhibitor IC50=8.4 uM	
Cytotoxic 4.6 ug/ml	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 359.
Deiodinase-Inhibitor	Jim Duke's personal files.
Detoxicant	
Glucosyl-Transferase-Inhibitor ID50=20 ug/ml	
HIV-RT-Inhibitor	Economic & Medicinal Plant Research, 5: 224.
Hemostatic	Merck 11th Edition
Hepatoprotective IC55=30 ug/ml	Mayumi Ito (nee Someya), et al. 1990. Hepatoprotective Compounds from <i>Canarium album</i> and <i>Euphorbia nematocypha</i> . <i>Chem. Pharm. Bull.</i> 38(8): 2201-2203, 1990.
Juvabional	Jacobson, M., <i>Glossary of Plant-Derived Insect Deterrents</i> , CRC Press, Inc., Boca Raton, FL, 213 p, 1990.
Pesticide	
Quinone-Reductase-Inducer 0.4 g/kg rat	Ahn, D., Putt, D., Kresty, L., Stoner, G. D., Fromm, D., Hollenberg, P. F. 1996. The Effects of Dietary Ellagic Acid on Rat Hepatic and Esophageal Mucosal Cytochromes P450 and Phase II Enzymes. <i>Carcinogenesis</i> , 17(4): 821-828.
Sunscreen 0.50%	Jim Duke's personal files.
Topoisomerase-I-Antagonist	Journal of Medicinal Food 2: 167.1999.
Xanthine-Oxidase-Inhibitor IC50=3.1 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. <i>Chem. Pharm. Bull.</i> 38(5): 1224-1229

EPICATECHOL	Bark	--	--	Madhusudanamma, W., Sastry, K. N. S., Rao, V. S. S., Reddy, K. K. 1980. Isolation of Flavan-3-ols from <i>Terminalia arjuna</i> Bark. <i>Leather Sci (Madras)</i> 27: 199-200.	
EPIGALLOCATECHOL	Bark	--	--	Madhusudanamma, W., Sastry, K. N. S., Rao, V. S. S., Reddy, K. K. 1980. Isolation of Flavan-3-ols from <i>Terminalia arjuna</i> Bark. <i>Leather Sci (Madras)</i> 27: 199-200.	
FIBER	Leaf	--	77800.0	-1.04	ANON. 1948-1976. <i>The Wealth of India raw materials</i> . Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

### Activities (15)

Angiotensin-Receptor-Blocker	
Antidiabetic	
Antihypertensive	
Antibesity	
Antitumor	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Antiulcer	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Beta-Blocker	
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective	
Diuretic	
Hypocholesterolemic	
Hypotensive 10 g/man/day/orl	Pizzorno, J.E. and Murray, M.T. 1985. <i>A Textbook of Natural Medicine</i> . John Bastyr College Publications, Seattle, Washington (Looseleaf).
Hypouricemic	
Laxative	

FRIEDELIN	Bark	--	--	*
<b>Activities (2)</b>				
Antiinflammatory 30 mg/kg				
Diuretic Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.				
GALLIC-ACID	Leaf	--	--	Kandil, F. E., Nassar, M. I. 1998. A Tannin Anti-Cancer Promotor from <i>Terminalia arjuna</i> . <i>Phytochemistry</i> 47 8: 1567-1568.
<b>Activities (62)</b>				
ACE-Inhibitor IC50=7.7 mM/l				
Analgesic				
AntiHIV				
AntiMRSA				
Antidiadenovirus				Economic & Medicinal Plant Research, 5: 194.
Antiallergenic				Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.
Antianaphylactic				Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Antiangiogenic				
Antiasthmatic				Watt, J.M., and Breyer-Brandwijk, M.G. <i>The Medicinal and Poisonous Plants of Southern and Eastern Africa.</i> 1962.
Antibacterial MIC=1,000 ug/ml				
Antibronchitic				Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.
Anticancer				
Anticarcinomic ED50=3				
Antiescherichic				
Antifibrinolytic				Economic & Medicinal Plant Research, 1: 53.
Antiflu				Economic & Medicinal Plant Research, 5: 194.
Antihepatotoxic				Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.7 p.93.
Antiperherptic EC50=>10 ug/ml				
Antiinflammatory				Kroes, B.H., et al. 1991. Anti-Inflammatory Activity of Gallic Acid. <i>Planta Medica</i> , 58(6): 499.
Antileishmanic EC50=4.4 ug/ml				
Antimutagenic				Economic & Medicinal Plant Research, 6: 235.
Antinitrosaminic				
Antioxidant IC44=33 ppm				
Antioxidant 7 x quercetin				
Antioxidant 2/3 BHA				
Antiperiodontic 10 ug/ml				
Antiperoxidant IC50=69 uM				
Antipolio				Economic & Medicinal Plant Research, 5: 194.
Antiproteolytic 10 ug/ml				
Antiradicular 7 x quercetin				
Antiradicular IC50=4.9 uM				
Antiseptic				Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Antistaphylococci MIC=1,000 ug/ml				
Antitumor				
Antitumor-Promoter				
Antiviral				
Apoptotic				
Astringent				Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Bacteristat				Lamikanra, A., Ogundaini, A.O., and Ogungbamila*, F.O. Antibacterial Constituents of <i>Alchornea cordifolia</i> Leaves. <i>Phytotherapy Research</i> 4(5): 198.
Bronchodilator				Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Cancer-Preventive				Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Candidicide				
Carcinogenic				
Choleretic				Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Cyclooxygenase-				

Cytotoxic 500 uM			
Floral-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.		
Gram(+)icide MIC=1,000 ug/ml			
Gram(-)icide MIC=1,000 ug/ml			
Hemostat			
Hepatoprotective	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs.</i> Chapman & Hall, New York. 941 pp.		
Immunomodulator			
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. <i>Green Tea Monograph. Alternative Therapies</i> , 6(3): 61-82.		
Immunosuppressant			
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.		
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.		
NO-Inhibitor IC- 26=250 uM			
Nephrotoxic	Martindale's 29th		
Pesticide			
Styptic			
Topoisomerase-I- Inhibitor	Hamada, S. I., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N., Nagai, K. 1997. Immunosuppressive Effects by Gallic Acid and Chebulagic Acid on CTL-Mediated Cytotoxicity. <i>Biol Pharm Bull</i> , 20: 1017-1019.		
Xanthine-Oxidase- Inhibitor IC50=24 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. <i>Chem. Pharm. Bull.</i> 38(5): 1224-1229		

GALLIC-ACID	Root	--	3.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of the Roots of <i>Terminalia arjuna</i> -The Structures of Arjunoside 3 and Arjunoside 4, Two New Triterpenoid Glycosides. <i>Phytochemistry</i> 21: 2057-2060.
-------------	------	----	-----	--

## Activities (62)

ACE-Inhibitor IC50=7.7 mM/l			
Analgesic			
AntiHIV			
AntiMRSA			
Antidiadenovirus	Economic & Medicinal Plant Research, 5: 194.		
Antiallergenic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.		
Antianaphylactic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.		
Antiangiogenic			
Antiasthmatic	Watt, J.M., and Breyer-Brandwijk, M.G. <i>The Medicinal and Poisonous Plants of Southern and Eastern Africa.</i> 1962.		
Antibacterial MIC=1,000 ug/ml	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.		
Antibronchitic			
Anticancer			
Anticarcinomic ED50=3			
Antiescherichic			
Antifibrinolytic	Economic & Medicinal Plant Research, 1: 53.		
Antiflu	Economic & Medicinal Plant Research, 5: 194.		
Antihepatotoxic	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.7 p.93.		
Antiherpetic EC50=>10 ug/ml			
Antiinflammatory	Kroes, B.H., et al. 1991. Anti-Inflammatory Activity of Gallic Acid. <i>Planta Medica</i> , 58(6): 499.		
Antileishmanic EC50=4.4 ug/ml			
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.		
Antinitrosaminic			
Antioxidant IC44=33 ppm			
Antioxidant 7 x quercetin			
Antioxidant 2/3 BHA			
Antiperiodontitic 10 ug/ml			
Antiperoxidant IC50=69 uM			
Antipolio	Economic & Medicinal Plant Research, 5: 194.		
Antiproteolytic 10 ug/ml			
Antiradicular 7 x quercetin			
Antiradicular IC50=4.9 uM			
Antiseptic	Williamson, E. M. and Evans, F. J. <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.		

MIC=1,000 ug/ml				
Antitumor				
Antitumor-Promoter				
Antiviral				
Apoptotic				
Astringent	Williamson, E. M. and Evans, F. J., <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.			
Bacteristat	Lamikanra, A., Ogundaini, A.O., and Ogungbamila*, F.O. Antibacterial Constituents of Alchornea cordifolia Leaves. <i>Phytotherapy Research</i> 4(5): 198.			
Bronchodilator	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Candidicide				
Carcinogenic				
Choleretic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Cyclooxygenase-Inhibitor				
Cytotoxic 500 uM				
Floral-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Gram(+)icide MIC=1,000 ug/ml				
Gram(-)icide MIC=1,000 ug/ml				
Hemostat				
Hepatoprotective	Neuwinger, H. D. 1996. <i>African Ethnobotany - Poisons and Drugs</i> . Chapman & Hall, New York. 941 pp.			
Immunomodulator				
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. <i>Green Tea Monograph</i> . Alternative Therapies, 6(3): 61-82.			
Immunosuppressant				
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.			
NO-Inhibitor IC-26=250 uM				
Nephrotoxic	Martindale's 29th			
Pesticide				
Styptic				
Topoisomerase-I-Inhibitor	Hamada, S. I., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N., Nagai, K. 1997. Immunosuppressive Effects by Gallic Acid and Chebulagic Acid on CTL-Mediated Cytotoxicity. <i>Biol Pharm Bull</i> , 20: 1017-1019.			
Xanthine-Oxidase-Inhibitor IC50=24 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. <i>Chem. Pharm. Bull.</i> 38(5): 1224-1229			

GALLIC-ACID	Shoot	--	7.5	-0.73	Pettit, G. R., Hoard, M. S., Doubek, D. L., Schmidt, J. M., Pettit, R. K., Tackett, L. P., Chapuis, J. C. 1996. Antineoplastic Agents 338. The Cancer Cell Growth Inhibitory Constituents of <i>Terminalia arjuna</i> (Combretaceae). <i>J. Ethnopharmacol.</i> 53 1: 57-63.
-------------	-------	----	-----	-------	--

## Activities (62)

ACE-Inhibitor IC50=7.7 mM/l					
Analgesic					
AntiHIV					
AntiMRSA					
Antiadenovirus	Economic & Medicinal Plant Research, 5: 194.				
Antiallergenic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.				
Antianaphylactic	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants</i> . Taylor & Frost, London. 791 pp.				
Antiangiogenic					
Antiasthmatic	Watt, J.M., and Breyer-Brandwijk, M.G. <i>The Medicinal and Poisonous Plants of Southern and Eastern Africa</i> . 1962.				
Antibacterial MIC=1,000 ug/ml					
Antibronchitic	Dorsch, W., Wagner, H. New Antiasthmatic Drugs from Traditional Medicine? <i>Int Arch Allergy Appl Immunol</i> 94: 262-265, 1991.				
Anticancer					
Anticarcinomic ED50=3					
Antiescherichic					
Antifibrinolytic	Economic & Medicinal Plant Research, 1: 53.				
Antiflu	Economic & Medicinal Plant Research, 5: 194.				
Antihepatotoxic	Okuda, T., Yoshida, T., and Hatano, T. Antioxidant Effects of Tannins and Related Polyphenols. <i>Phenolic Compounds in Food and Their Effects on Health</i> , Ch.7 p.93.				
Antiherapeutic EC50=>10 ug/ml					
Antiinflammatory	Kroes, B.H., et al. 1991. Anti-Inflammatory Activity of Gallic Acid. <i>Planta Medica</i> , 58(6): 499.				
Antileishmanic EC50=4.4 ug/ml					
Antimutagenic	Economic & Medicinal Plant Research, 6: 235.				
Antinitrosaminic					

ppm				
Antioxidant 7 x quercetin				
Antioxidant 2/3 BHA				
Antiperiodontic 10 ug/ml				
Antiperoxidant IC50=69 uM				
Antipolio	Economic & Medicinal Plant Research, 5: 194.			
Antiproteolytic 10 ug/ml				
Antiradicular 7 x quercetin				
Antiradicular IC50=4.9 uM				
Antiseptic	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.			
Antistaphylococic MIC=1,000 ug/ml				
Antitumor				
Antitumor-Promoter				
Antiviral				
Apoptotic				
Astringent	Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.			
Bacteristat	Lamikanra, A., Ogundaini, A.O., and Ogunbamila*, F.O. Antibacterial Constituents of Alchornea cordifolia Leaves. Phytotherapy Research 4(5): 198.			
Bronchodilator	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.			
Candidicide				
Carcinogenic				
Choleretic	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Cyclooxygenase- Inhibitor				
Cytotoxic 500 uM				
Floral-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Gram(+)icide MIC=1,000 ug/ml				
Gram(-)icide MIC=1,000 ug/ml				
Hemostat				
Hepatoprotective	Neuwinger, H. D. 1996. African Ethnobotany - Poisons and Drugs. Chapman & Hall, New York. 941 pp.			
Immunomodulator				
Immunostimulant	McKenna, D. J., Hughes, K., and Jones, K. 2000. Green Tea Monograph. Alternative Therapies, 6(3): 61-82.			
Immunosuppressant				
Insulin-Sparing	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
Myorelaxant	Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London. 791 pp.			
NO-Inhibitor IC- 26=250 uM				
Nephrotoxic	Martindale's 29th			
Pesticide				
Styptic				
Topoisomerase-I- Inhibitor	Hamada, S. I., Kataoka, T., Woo, J. T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N., Nagai, K. 1997. Immunosuppressive Effects by Gallic Acid and Chebulagic Acid on CTL-Mediated Cytotoxicity. Biol Pharm Bull, 20: 1017-1019.			
Xanthine-Oxidase- Inhibitor IC50=24 uM	Hatano, T., Yasuhara, T., Yoshihara, R., Agata, I., Noro, T., and Okuda, T. 1989. Effects of Interaction of Tannins with Co-existing Substances.VII. Inhibitory Effects of Tannins Related Polyphenols on Xanthine Oxidase. Chem. Pharm. Bull. 38(5): 1224-1229			
GALLIC-ACID-ETHYL- ESTER	Shoot -- 0.1	Pettit, G. R., Hoard, M. S., Doubek, D. L., Schmidt, J. M., Pettit, R. K., Tackett, L. P., Chapuis, J. C. 1996. Antineoplastic Agents 338. The Cancer Cell Growth Inhibitory Constituents of Terminalia arjuna (Combretaceae). J. Ethnopharmacol. 53 1: 57-63.		

#### Activities (1)

AntiMRSA

LEUCOCYANIDIN	Root Bark -- 6.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of the Roots of Terminalia arjuna-The Structures of Arjunoside 3 and Arjunoside 4, Two New Triterpenoid Glycosides. Phytochemistry 21: 2057-2060.
---------------	------------------	---

#### Activities (1)

Capillaroprotective

Merck 11th Edition

LUTEOLIN	Shoot -- 0.9 -0.71	Pettit, G. R., Hoard, M. S., Doubek, D. L., Schmidt, J. M., Pettit, R. K., Tackett, L. P., Chapuis, J. C. 1996. Antineoplastic Agents 338. The Cancer Cell Growth Inhibitory Constituents of
----------	--------------------	--

**Activities (78)**

Aldose-Reductase-Inhibitor EC=3 ppm	Shin*, K.H., Chung, M.S., Chae, Y.J., Yoon, K.Y., Cho, T.S. 1992. A survey for aldose reductase inhibition of herbal medicines. <i>Fitoterapia</i> 64(2): 130, 1993.
Aldose-Reductase-Inhibitor IC50=0.45 uM rat	
AntiHIV	
Antiallergic	
Antiangiogenic IC60-75=10' uM	
Antithrombotic	
Antibacterial MIC=500 ug/ml	Planta Medica, 57: A43, 1991.
Anticarcinogenic	
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticataract EC=3 ppm	Shin*, K.H., Chung, M.S., Chae, Y.J., Yoon, K.Y., Cho, T.S. 1992. A survey for aldose reductase inhibition of herbal medicines. <i>Fitoterapia</i> 64(2): 130, 1993.
Anticomplementary	
Antidermatic	Bisset, N.G., ed. 1994. <i>Herbal Drugs and Phytopharmaceuticals</i> . CRC Press. Boca Raton, FL. 566 pp.
Antiestrogenic	
Antifeedant IC52=<1,000 ppm diet	Lydon, J. & Duke, S., The potential of pesticides from plants, pp. 1-41 in Craker, L. & Simon, J., eds, <i>Herbs, Spices &amp; Medicinal Plants: Recent Advances in Botany, Horticulture, &amp; Pharmacology</i> , v. 4, Oryx Press, Phoenix, 1989, 267pp.
Antiherpetic 11-23 ug/ml	
Antihistaminic <10-15 uM	
Antiinflammatory #NAME?	Wichtl, M. 1984. <i>Teedrogen. Ein Handbuch fur Apotheker und Arzte</i> . Wissenschaftliche Verlagsgesellschaft. mbH Stuttgart. 393 pp.
Antileukemic 20-50 uM	
Antilymphomeric	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antimelanomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antimutagenic ID50=2-5 nM	
Antimutagenic ID50=0.44 ug/ml	
Antinociceptive	
Antioxidant IC50=10 uM	
Antipolio	Economic & Medicinal Plant Research, 5: 197.
Antiproliferant	
Antispasmodic	Williamson, E. M. and Evans, F. J. <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> , Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1989, reprint 1989.
Antitumor 1-50 uM	
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Ovary)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Skin) 20 uM	
Antitumor (Stomach)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Thyroid) 12-50 uM	
Antitumor (brain)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitussive	
Antiviral 11-23 ug/ml	
Aphidifuge	
Apoptotic 12-50 uM	
Aromatase-Inhibitor IC35=1 uM/l	Journal of Medicinal Food 2: 235.1999.
Beta-Glucuronidase-Inhibitor IC50=~40 uM	
Calcium-Antagonist IC50=1.2 uM rbt	
Cancer-Preventive	
Chemopreventive	
Choleretic	
Cytotoxic 1-50 uM	
Deiodinase-Inhibitor	Jim Duke's personal files.
Differentiator IC>40=40 uM	
Diuretic	Jim Duke's personal files.
Estrogenic 58% genistein	

Hyaluronidase-Inhibitor	
IC50+=100-250 uM	
Hypocholesterolemic	
ICAM-1-Inhibitor	
IKK-Inhibitor	
Iodothyronine-Deiodinase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
Lipoxygenase-Inhibitor	
MAPK-Inhibitor	
MMP-9-Inhibitor 20 uM	
Metalloproteinase-Inhibitor	
Myorelaxant	
NEP-Inhibitor IC50=>42 uM	
NF-kB-Inhibitor	
NO-Inhibitor	
PTK-Inhibitor 10-100 uM	
Pesticide	
Proliferant	
Prostaglandin-Synthetase-Inhibitor	
Protein-Kinase-C-Inhibitor	
IC70=50 uM	
Succinoxidase-Inhibitor	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.
TNF-alpha-Inhibitor	
IC50=14.44 uM	
Topoisomerase-I-Inhibitor	Santti, R., Makela, S., Strauss, L., Korman, J., Kostian, M. L. 1998. <i>Phytoestrogens: Potential Endocrine Disruptors in Males.</i> Toxicol Ind Health, 14: 223-237.
VEGF-Inhibitor IC50=2-7 uM	
Vasodilator	
Xanthine-Oxidase-Inhibitor	Chem. & Pharm. Bull. 38: 1772. IC50=0.11 ug/ml
iNOS-Inhibitor	

MANNITOL	Fruit	--	--	ANON. 1948-1976. <i>The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi.</i> 11 volumes.
----------	-------	----	----	---

#### Activities (18)

Allergenic	Martindale's 29th
Analgesic	
Anthelmintic	ANON. 1948-1976. <i>The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi.</i> 11 volumes.
AntiReye's	Martindale's 29th
Antiglaucomic	Martindale's 28th
Antiinflammatory	ANON. 1948-1976. <i>The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi.</i> 11 volumes.
Antimutagenic	
Antinephritic	Martindale's 29th
Antioxidant	Jim Duke's personal files.
Antiradicular	
Antispasmodic	ANON. 1948-1976. <i>The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi.</i> 11 volumes.
Diuretic	Merck 11th Edition
Emetic	Martindale's 28th
Flatugenic	Martindale's 29th
Laxative	
Nephrotoxic	Martindale's 29th
Pesticide	
Sweetener	Jeffery B. Harborne and H. Baxter, eds. 1983. <i>Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants.</i> Taylor & Frost, London. 791 pp.

MASLINIC-ACID	Leaf	--	--	Chauhan, S. M. S., Parkash, S., Kaushik, R. 1997. Isolation of 3-beta-hydroxyolean-12-ene and Related Triterpenoids from the Leaves of <i>Terminalia arjuna</i> . Indian J. Chem. 36B 3: 297-298.
---------------	------	----	----	---

#### Activities (6)

AntiHIV IC100=18 ug/ml	
Antiedemic	
Antihistaminic	
Antiinflammatory	Chem & Pharm. Bull., 34: 2164, 1986.
Antiviral IC100=18 ug/ml	
Protease-Inhibitor IC100=18 ug/ml	

MYRISTYL-OLEATE	Fruit	--	--	Ahmad, M. U., Mullah, K. B., Saha, K. C. 1982. Hentriacontane, Arachidic Stearate and Myristyl Oleate from the Fruits of <i>Terminalia arjuna</i> Bedd. J. Bangladesh Acad. Sci. 6 1/2: 61-65.
-----------------	-------	----	----	--

**Activities (3)**

Antiinflammatory

Cosmetic

Diuretic

Jeffery B. Harborne and H. Baxter, eds. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor &amp; Frost, London. 791 pp.

**OLEANOLIC-ACID**

Root Bark

--

10.0

-1.0

Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of Terminalia arjuna (Roxb.) Wight &amp; Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. Indian J. Chem. 21B 6: 530-533.

**Activities (64)**

Abortifacient

AntiHIV IC50=21.8 ug/ml

AntiHIV EC50=1.7 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

AntiPGE2 IC50=24 uM

AntiTGF-beta IC50=19-24 uM

Antiallergic

Antiarrhythmic 40 mg/kg

Antiatherosclerotic

Antibacterial MIC=625-1,250 ug/ml

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Anticarcinomic

Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley &amp; Sons, New York. 649 pp.

Anticomplement IC40-50 0.01 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC80-90 0.05 mM/l gpg

Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antiedemic IC36=40 mg/kg ipr rat

Antifertility

Antigingivitic MIC=625-1,250 ug/ml

Antihepatotoxic

Antihyperlipidemic

Antiinflammatory 40 mg/kg ipr

Aquino, R., De Feo, V., De Simone, F., Pizza, C.\*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. Journal of Natural Products, 54(2): 453-459, 1991.

Antiischemic 40 mg/kg

Antileukemic

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antileukotriene IC50=17 uM

Antimalarial IC50=70-89 ug/ml

Antinephritic IC50=19-24 uM

Antioxidant

Balaneshu, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. Biochemistry International 28(4): 735-744, 1992.

Antioxidant IC46=10 uM

Antiperiodontic MIC=625-1,250 ug/ml

Antiperoxidant IC30=200 ug/ml

Antiplaque MIC=625-1,250 ug/ml

Antiplasmoidal IC50=70-89 ug/ml

Antisarcomic

Antiseptic MIC=625-1,250 ug/ml

Antitumor

Antitumor (Breast)

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antitumor (Colon)

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antitumor (Kidney)

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antitumor (Lung)

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antitumor (Pancreas)

Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. Am J Chin Med, 31(1):37-46.

Antiulcer &gt;carbenoxolone

Antiviral EC50=1.7 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

Antiviral IC50=21.8 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. J. Nat. Prod., 61 (9): 1090-1095.

Aromatase-Inhibitor

Beta-Glucuronidase-Inhibitor	~100 mg/kg
COX-2-Inhibitor	IC50=295 uM/
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective	40 mg/kg
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor	IC50=~15 uM
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	
Immunomodulator	
Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor	igs mus
Sedative	
Uterotonic	
Vasopressor	

OLEANOLIC-ACID	Stem	--	17.5	-1.0	Tripathi, V. K., Pandey, V. B., Udupa, K. N., Rucker, G. 1992. Arjunolitin, a Triterpene Glycoside from <i>Terminalia arjuna</i> . <i>Phytochemistry</i> 31 1: 349-351.
----------------	------	----	------	------	---

#### Activities (64)

Abortifacient	
AntiHIV IC50=21.8 ug/ml	
AntiHIV EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiPGE2 IC50=24 uM	
AntiTGF-beta IC50=19-24 uM	
Antiallergic	
Antiarrhythmic 40 mg/kg	
Antiatherosclerotic	
Antibacterial MIC=625-1,250 ug/ml	
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticariogenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplement IC40-50 0.01 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antiedemic IC36=40 mg/kg ipr rat	
Antifertility	
Antigingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.* and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of <i>Uncaria tomentosa</i> . <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperioxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	

ug/ml

Antisarcomic

Antiseptic MIC=625-1,250 ug/ml

Antitumor

Antitumor (Breast) Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.Antitumor (Colon) Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.Antitumor (Kidney) Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.Antitumor (Lung) Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.Antitumor (Pancreas) Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Antiulcer &gt;carbenoxolone

Antiviral EC50=1.7 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.Antiviral IC50=21.8 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

Aromatase-Inhibitor

Beta-Blocker

Beta-Glucuronidase-Inhibitor ~100 mg/kg

COX-2-Inhibitor IC50=295 uM

COX-2-Inhibitor Ringborn, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from *Plantago major*, a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. *J. Nat. Prod.*, 61(10): 1212-1215.

Cancer-Preventive Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.

Cardioprotective 40 mg/kg

Cardiotonic

Cyclooxygenase-Inhibitor

Diuretic Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley &amp; Sons, New York. 649 pp.

Elastase-Inhibitor IC50=~15 uM

Hepatoprotective Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.

Hypolipemic

Hypotensive

Immunomodulator

Leucocytogenic

NF-kB-Inhibitor

Phagocytotic

Piscicide ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

Prostaglandin-Synthesis-Inhibitor igs mus

Sedative

Uterotonic

Vasopressor

OLEANOLIC-ACID	Seed	--	17.5	1.0	Tripathi, V. K., Pandey, V. B., Udupa, K. N., Rucker, G. 1992. Arjunolitin, a Triterpene Glycoside from <i>Terminalia arjuna</i> . <i>Phytochemistry</i> 31 1: 349-351.
----------------	------	----	------	-----	---

**Activities (64)**

Abortifacient

AntiHIV IC50=21.8 ug/ml

AntiHIV EC50=1.7 ug/ml Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiPGE2 IC50=24 uM

AntiTGF-beta IC50=19-24 uM

Antiallergic

Antiarrhythmic 40 mg/kg

Antitherosclerotic

Antibacterial MIC=625-1,250 ug/ml

Anticarcinomic Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. *Am J Chin Med*, 31(1):37-46.

Anticariogenic

Anticomplement IC40-50 0.01 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Anticomplement IC80-90 0.05 mM/l gpg Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.

Antiedemic IC36=40 mg/kg ipr rat

Antifertility

Antigingivitic MIC=625-1,250 ug/ml

Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperoxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmodial IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM/	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. Why George Should Eat Broccoli. Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	
Immunomodulator	
Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. <i>The Wealth of India raw materials</i> . Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor igs mus	
Sedative	
Uterotonic	
Vasopressor	

OLEANOLIC-ACID Leaf -- 17.5 -0.83 \*

#### Activities (64)

Abortifacient

AntiHIV IC50=21.8 ug/ml

AntiHIV EC50=1.7 ug/ml

Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomolic Acid, and Structurally Related Triterpenoids. *J. Nat. Prod.*, 61 (9): 1090-1095.

AntiTGF-beta	IC50=19-24 uM
Antiallergic	
Antiarrhythmic	40 mg/kg
Antiatherosclerotic	
Antibacterial	MIC=625-1,250 ug/ml
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticariogenic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplement IC40-50 0.01 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. <i>Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D)</i> , 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antiedemic IC36=40 mg/kg ipr rat	
Antifertility	
Antigingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperoxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmoidal IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiulcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Antiviral IC50=21.8 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
Aromatase-Inhibitor	
Beta-Blocker	
Beta-Glucuronidase-Inhibitor ~100 mg/kg	
COX-2-Inhibitor IC50=295 uM/	
COX-2-Inhibitor	Ringbom, T., Seguar, L., Noreen, Y., Perera, P., Bohlin, L. 1998. Ursolic Acid from <i>Plantago major</i> , a Selective Inhibitor of Cyclooxygenase-2 Catalyzed Prostaglandin Biosynthesis. <i>J. Nat. Prod.</i> , 61(10): 1212-1215.
Cancer-Preventive	Stitt, P. A. <i>Why George Should Eat Broccoli</i> . Dougherty Co, Milwaukee, WI, 1990, 399 pp.
Cardioprotective 40 mg/kg	
Cardiotonic	
Cyclooxygenase-Inhibitor	
Diuretic	Leung, A. Y. and Foster, S. 1995. <i>Encyclopedia of Common Natural Ingredients</i> 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elastase-Inhibitor IC50=~15 uM	
Hepatoprotective	Advance in Chinese Medicinal Materials Research. 1985. Eds. H. M. Chang, H. W. Yeung, W. -W. Tso and A. Koo. World Scientific Publishing Co., Philadelphia Pa., page 211.
Hypolipemic	
Hypotensive	

Leucocytogenic	
NF-kB-Inhibitor	
Phagocytotic	
Piscicide	ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
Prostaglandin-Synthesis-Inhibitor igs mus	
Sedative	
Uterotonic	
Vasopressor	

OLEANOLIC-ACID	Flower	--	17.5	-0.78	Tripathi, V. K., Pandey, V. B., Udupa, K. N., Rucker, G. 1992. Arjunolitin, a Triterpene Glycoside from Terminalia arjuna. <i>Phytochemistry</i> 31 1: 349-351.
----------------	--------	----	------	-------	---

#### Activities (64)

Abortifacient	
AntiHIV IC50=21.8 ug/ml	
AntiHIV EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.
AntiPGE2 IC50=24 uM	
AntiTGF-beta IC50=19-24 uM	
Antiallergic	
Antiarrhythmic 40 mg/kg	
Antiatherosclerotic	
Antibacterial MIC=625-1,250 ug/ml	
Anticarcinomic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Anticariogenic	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Anticomplement IC40-50 0.01 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Anticomplement IC80-90 0.05 mM/l gpg	Hansel, R., Keller, K., Rimpler, H., and Schneider, G. eds. 1992. Hager's Handbuch der Pharmazeutischen Praxis, Drogen (A-D), 1209 pp., 1993 (E-O), 970 pp., 1994 (P-Z), 1196 pp. Springer-Verlag, Berlin.
Antiedemic IC36=40 mg/kg ipr rat	
Antifertility	
Antigingivitic MIC=625-1,250 ug/ml	
Antihepatotoxic	
Antihyperlipidemic	
Antiinflammatory 40 mg/kg ipr	Aquino, R., De Feo, V., De Simone, F., Pizza, C.*, and Cirino, G. Plant Metabolites. New Compounds And Anti-Inflammatory Activity Of Uncaria tomentosa. <i>Journal of Natural Products</i> , 54(2): 453-459, 1991.
Antiischemic 40 mg/kg	
Antileukemic	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antileukotriene IC50=17 uM	
Antimalarial IC50=70-89 ug/ml	
Antinephritic IC50=19-24 uM	
Antioxidant	Balanehru, S. and Nagarajan, B. 1992. Intervention of Adriamycin Induced Free Radical Damage. <i>Biochemistry International</i> 28(4): 735-744, 1992.
Antioxidant IC46=10 uM	
Antiperiodontic MIC=625-1,250 ug/ml	
Antiperioxidant IC30=200 ug/ml	
Antiplaque MIC=625-1,250 ug/ml	
Antiplasmodial IC50=70-89 ug/ml	
Antisarcomic	
Antiseptic MIC=625-1,250 ug/ml	
Antitumor	
Antitumor (Breast)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Colon)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Kidney)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Lung)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antitumor (Pancreas)	Chiang, L. C., Chiang, W., Chang, M. Y., Ng, L. T., Lin, C. C. 2003. Antileukemic activity of selected natural products in Taiwan. <i>Am J Chin Med</i> , 31(1):37-46.
Antiuclcer >carbenoxolone	
Antiviral EC50=1.7 ug/ml	Kashiwada, Y., et. al. 1998. Anti-AIDS Agents. 30. Anti-HIV Activity of Oleanolic Acid, Pomicic Acid, and Structurally Related Triterpenoids. <i>J. Nat. Prod.</i> , 61 (9): 1090-1095.



**Activities (7)**

AntiAIDS

HIV-RT-Inhibitor ID50=8uM

Hepatoprotective

Hepatotoxic

Pesticide

**Topoisomerase-II-Inhibitor IC<sub>100</sub>=0.5 uM** Kashiwada, Y., Nonaka, G. I., Nishioka, I., Lee, J. H., Bori, I., Fukushima, Y., Bastow, K. F., Lee, K. H. 1993. Tannins as Potent Inhibitors of DNA Topoisomerase II in vitro. *J Pharm Sci*, 82: 487-492.

Toxic

**PUNICALIN**

Bark

--

66.5

Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of Terminalia arjuna. *Zhonghua Yaoxue Zashi* 48 1: 25-35.

**Activities (7)**

AntiAIDS

HIV-RT-Inhibitor ID50=8uM

Hepatoprotective

Hepatotoxic

Pesticide

**Topoisomerase-II-Inhibitor IC<sub>100</sub>=0.5 uM** Kashiwada, Y., Nonaka, G. I., Nishioka, I., Lee, J. H., Bori, I., Fukushima, Y., Bastow, K. F., Lee, K. H. 1993. Tannins as Potent Inhibitors of DNA Topoisomerase II in vitro. *J Pharm Sci*, 82: 487-492.

Toxic

**QUERCETIN-7-O-RHAMNOSE**

Fruit

--

--

Singh, B., Pandey, V. B. 1995. Constituents of Terminalia arjuna Fruits. *Orient. J. Chem.* 11 2: 185-186.

**SUGARS**

Fruit

--

57500.0 -0.65

ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

**TANNIN**

Fruit

70000.0

120000.0 0.25

ANON. 1948-1976. The Wealth of India raw materials. Publications and Information Directorate, CSIR, New Delhi. 11 volumes.

**Activities (35)**

Antihelmintic

AntiHIV

Antibacterial

Anticancer

Anticariogenic

Antidiarrheic

Antidisenteric

Antihepatotoxic

Antihypertensive

Antilipolytic

Antimutagenic

Antinephritic

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G.-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

Antiofthidic

Economic & Medicinal Plant Research, 5: 363.

Antioxidant  
 $IC_{50}=1.44 \mu\text{g/ml}$

Antioxidant 1/3  
quercetin

Antiradicular 500  
mg/kg/day orl mus

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G.-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

Antiradicular 1/3  
quercetin

Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G.-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. *Chem. Pharm. Bull.* 38(4): 1049-1052, 1990.

Antitumor

Antitumor-Promoter

Anticancer

Antiviral

Cancer-Preventive *HerbalGram* No. 22 - Spring 1990, page 14.

Carcinogenic

Chelator

Cyclooxygenase-  
Inhibitor

Glucosyl-  
Transferase-Inhibitor

Hepatoprotective

Immunosuppressant

Lipoxygenase-  
Inhibitor

Ornithine-Decarboxylase-Inhibitor				
Pesticide				
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Xanthine-Oxidase-Inhibitor				
TANNIN	Bark	--	158000.0 0.15	ANON. 1948-1976. <i>The Wealth of India raw materials</i> . Publications and Information Directorate, CSIR, New Delhi. 11 volumes.
<b>Activities (35)</b>				
Anthelmintic				
AntiHIV				
Antibacterial				
Anticancer				
Anticariogenic				
Antidiarrheic				
Antidysenteric				
Antihepatotoxic				
Antihypertensive				
Antilipolytic				
Antimutagenic				
Antinephritic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiphidic	Economic & Medicinal Plant Research, 5: 363.			
Antioxidant IC50=1.44 ug/ml				
Antioxidant 1/3 quercetin				
Antiradicular 500 mg/kg/day orl mus	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antiradicular 1/3 quercetin				
Antirenitic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Antitumor				
Antitumor-Promoter				
Antiulcer				
Antiviral				
Cancer-Preventive	HerbalGram No. 22 - Spring 1990, page 14.			
Carcinogenic				
Chelator				
Cyclooxygenase-Inhibitor				
Glucosyl-Transferase-Inhibitor				
Hepatoprotective				
Immunosuppressant				
Lipoxygenase-Inhibitor				
MAO-Inhibitor				
Ornithine-Decarboxylase-Inhibitor				
Pesticide				
Psychotropic	Uchida, U., Ohta, H., Niwa, M., Mori, A., Nonaka, G-i., Nishioka, I., and Zaki, M. 1989. Prolongation of Life Span of Stroke-Prone Spontaneously Hypertensive Rats (SHRSP) Ingesting Persimmon Tannin. <i>Chem. Pharm. Bull.</i> 38(4): 1049-1052, 1990.			
Xanthine-Oxidase-Inhibitor				
TERCHEBULIN	Bark	--	174.6	Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of Terminalia arjuna. <i>Zhonghua Yaoxue Zashi</i> 48 1: 25-35.
TERFLAVIN-C	Bark	--	36.1	Lin, T. C., Ma, Y. T., Hsu, F. L. 1996. Tannins from the Bark of Terminalia arjuna. <i>Zhonghua Yaoxue Zashi</i> 48 1: 25-35.
TERMINIC-ACID	Root Bark	--	2.0	Anjaneyulu, A. S. R., Rama Prasad, A. V. 1982. Chemical Examination of Roots of Terminalia arjuna (Roxb.) Wight & Arnott: Part I-Characterization of Two New Triterpenoid Glycosides. <i>Indian J. Chem.</i> 21B 6: 530-533.
TERMINIC-ACID	Root	--	100.0	Anjaneyulu, A. S. R., Prasad, A. V. R. 1983. Chemical Examination of the Roots of Terminalia arjuna. Part 3. Structure of Terminic Acid, a Dihydroxytriterpene Carboxylic Acid from Terminalia arjuna. <i>Phytochemistry</i> 22 4: 993-998.
TERMINOIC-ACID	Bark	--	40.0	Ahmad, M. U., Mullah, K. B., Norin, T., Ulla, J. K. 1983. Terminoic Acid, a New Trihydroxytriterpene Carboxylic Acid from Bark of Terminalia arjuna. <i>Indian J. Chem.</i> 22B 8:

TERMINOIC-ACID	Plant	--	--	J.S. Glasby Dict.Pls Containing 2ndary Metabolite. 1991.
TERMINOLITIN	Fruit	--	19.3	Singh, B., Singh, V. P., Pandey, V. B., Rucker, G. 1995. A New Triterpene Glycoside from Terminalia arjuna. <i>Planta Med.</i> 61 6: 576-577.